



## **The long-term fate of the oil spill in the Atlantic**

Honolulu, HI – The possible spread of the oil spill from the Deepwater Horizon rig over the course of one year was studied in a series of computer simulations by a team of researchers from the School of Ocean and Earth Science and Technology (SOEST) at the University of Hawaii at Manoa.

Eight million buoyant particles were released continuously from April 20 to September 17, 2010, at the location of the Deepwater Horizon oil rig. The release occurred in ocean flow data from simulations conducted with the high-resolution Ocean General Circulation Model for the Earth Simulator (OFES). “The paths of the particles were calculated in 8 typical OFES years over 360 days from the beginning of the spill,” says Fabian Schloesser, a PhD student from the Department of Oceanography in SOEST, who worked on these simulations with Axel Timmermann and Oliver Elison Timm from the International Pacific Research Center, also in SOEST. “From these 8 typical years, 5 were selected to create an animation for which the calculated extent of the spill best matches current observational estimates.”

The dispersal of the particles does not capture such effects as oil coagulation, formation of tar balls, chemical and microbial degradation. Computed surface concentrations relative to the actual spill may therefore be overestimated. The animation, thus, is not a detailed, specific prediction, but rather a scenario that could help guide research and mitigation efforts.

The animation shows the calculated surface particle concentrations for grid boxes about 10-km-by-10-km in size into April 2011. For an estimated flow of oil from the Deepwater Horizon of 50,000 barrels per day over a 150 day period, a concentration of e.g. 10 particles per grid box in the animation corresponds roughly to an oil volume of 2 cubic meters per 100 square kilometer.

The oil spreads initially in the Gulf of Mexico, then enters the Loop Current and the narrow Florida Current, and finally the Gulf Stream. “After one year, about 20% of the particles initially released at the Deepwater Horizon location have been transported through the Straits of Florida and into the open Atlantic,” explains Timmermann.

This animation suggests that the coastlines near the Carolinas, Georgia, and Northern Florida could see the effects of the oil spill as early as October 2010. The main branch of the subtropical gyre is likely to transport the oil film towards Europe, although strongly diluted.




Image from Day 360 of the animation. High definition and low definition versions of this animation are available on YouTube, see end of release for links.

The animation also shows that as the northeasterly winds intensify near Florida around October and November, the oil in the Atlantic moves closer to the eastern shores of the US, whereas it retreats from the western shores of Florida.

The narrow, deep Straits of Florida force the Florida Current into a narrow channel, creating a tight bottleneck for the spreading of oil into the Atlantic. As the animation suggests, a filtering system in the narrowest spot of the Florida Current could mitigate the spreading of the oil film into the North Atlantic.

This research was supported by the Japan Agency for Marine-Earth Science and Technology (JAMSTEC), NASA and NOAA through their sponsorship of the International Pacific Research Center in the School of Ocean and Earth Science and Technology at the University of Hawaii at Manoa.

Link to press release web page, with images and link to YouTube videos  
[http://www.soest.hawaii.edu/soest\\_web\soest.gulf2010\\_longterm.htm](http://www.soest.hawaii.edu/soest_web\soest.gulf2010_longterm.htm)

YouTube videos link  
<http://www.youtube.com/user/SOESThawaii>

### **Research Contacts**

Axel Timmermann, Professor of Oceanography, International Pacific Research Center, School of Ocean and Earth Science and Technology, University of Hawaii at Manoa. (808) 956-2720, axel@hawaii.edu

Fabian Schloesser, Graduate Assistant, Department of Oceanography, School of Ocean and Earth Science and Technology, University of Hawaii at Manoa. (808) 956-2017, schloess@hawaii.edu

### **Media Contacts**

Tara Hicks Johnson, Outreach Specialist, School of Ocean and Earth Science and Technology, University of Hawaii at Manoa, (808) 956-3151, hickst@hawaii.edu

Gisela Speidel, Outreach Specialist, International Pacific Research Center, School of Ocean and Earth Science and Technology, University of Hawaii at Manoa, (808) 956-9252, gspeidel@hawaii.edu

---

The School of Ocean and Earth Science and Technology at the University of Hawaii at Manoa was established by the Board of Regents of the University of Hawai'i in 1988 in recognition of the need to realign and further strengthen the excellent education and research resources available within the University. SOEST brings together four academic departments, three research institutes, several federal cooperative programs, and support facilities of the highest quality in the nation to meet challenges in the ocean, earth and planetary sciences and technologies.

[www.soest.hawaii.edu](http://www.soest.hawaii.edu)